Paslode (Paslode Australia)

Chemwatch: 4776-72 Version No: 7.1

Safety Data Sheet according to Work Health and Safety Regulations (Hazardous Chemicals) 2023 and ADG requirements

Chemwatch Hazard Alert Code: 0

Issue Date: **07/08/2024** Print Date: **08/08/2024** L.GHS.AUS.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	Paslode - STOCKade Lithium Ion Battery Cell
Chemical Name	Not Applicable
Synonyms	Part numbers: B20543A, ST4IBAT, B20710, B20722, B20580, ST4iAP2, ST4iAP1, B60001, B40001
Proper shipping name	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT or LITHIUM ION BATTERIES PACKED WITH EQUIPMENT (including lithium ion polymer batteries) (contains lithium manganate and lithium cobaltate)
Chemical formula	Not Applicable
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Battery. NOTE: Chemical materials are stored in sealed case. The toxic properties of the electrode materials are hazardous only if the materials are released by damaging the cell or if exposed to fire. The sealed battery is not hazardous in normal use. The chemical hazards are related to the leaked battery contents. If Transport Code Special Provision 188 applies the batteries will be unregulated for transport. SDS are intended for use in the workplace ONLY. For domestic-use products, refer to consumer labels.

Details of the manufacturer or supplier of the safety data sheet

Registered company name	Paslode (Paslode Australia)			
Address	-55 Williamson Road Ingleburn NSW 2565 Australia			
Telephone	+61 2 9829 4000			
Fax	+61 2 9829 7788			
Website	www.paslode.com.au			
Email	cust.sales.au@paslodeanz.com			

Emergency telephone number

Association / Organisation	Poisons Information Centre (AU)		
Emergency telephone numbers	13 11 26		
Other emergency telephone numbers	Not Available		

SECTION 2 Hazards identification

Classification of the substance or mixture

Poisons Schedule	Not Applicable
Classification ^[1]	Not Applicable

Label elements

Hazard pictogram(s)	Not Applicable
Signal word	Not Applicable

Hazard statement(s)

Not Applicable

Precautionary statement(s) Prevention Not Applicable Precautionary statement(s) Response Not Applicable Precautionary statement(s) Storage Not Applicable Precautionary statement(s) Disposal

Not Applicable

SECTION 3 Composition / information on ingredients

Issue Date: 07/08/2024 Print Date: 08/08/2024

Paslode - STOCKade Lithium Ion Battery Cell

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
Not Available		sealed metal case containing
Not Available		lithium transition metal oxidate as
12190-79-3	NotSpec	lithium cobaltate
12057-17-9	NotSpec	lithium manganate
182442-95-1	NotSpec	cobalt lithium manganese nickelate
7439-89-6	NotSpec	iron
7429-90-5	NotSpec	aluminium
7782-42-5	NotSpec	g <u>raphite, natural</u>
7440-44-0	NotSpec	carbon, non-activated
7440-50-8	NotSpec	copper
Not Available	NotSpec	electrolyte, organic
Not Available		NOTE: Not every product includes all of these ingredients
Legend:		ch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. C&L * EU IOELVs available

SECTION 4 First aid measures

Description of first aid measur	es
Eye Contact	 Generally not applicable. If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	 Generally not applicable. If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 Generally not applicable. Remove patient to fresh air and seek medical attention.
Ingestion	 Not considered a normal route of entry. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- Dry chemical powder.
- BCF (where regulations permit).
- Carbon dioxide.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.	
dvice for firefighters		
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. 	
Fire/Explosion Hazard	If heated above 125 deg C, cell(s) can explode/vent. Internal organic material will burn if the cell is incinerated. Non combustible. Not considered to be a significant fire risk. Heating may cause expansion or decomposition leading to violent rupture of containers. May emit acrid smoke. May emit corrosive and poisonous fumes. Decomposes on heating and produces toxic fumes of: carbon monoxide (CO2) hydrogen fluoride	
HAZCHEM	2Y	
		Continued.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	Clean up all spills immediately. Avoid contact with skin and eyes. Place in suitable containers for disposal.
Major Spills	 Clean up all spills immediately. Wear protective clothing, safety glasses, dust mask, gloves. Secure load if safe to do so. Bundle/collect recoverable product. Use dry clean up procedures and avoid generating dust. Vacuum up (consider explosion-proof machines designed to be grounded during storage and use). Water may be used to prevent dusting. Collect remaining material in containers with covers for disposal. Flush spill area with water.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling	
Safe handling	Avoid short circuiting the cell. Avoid mechanical damage of the cell. Do not open or disassemble. Do not connect the positive terminal to the negative terminal with electrical wire or chain. Avoid polarity reverse connection when installing the battery to an instrument. Do not wet the battery with water, seawater or acid; or expose to strong oxidizer. Keep the battery away from heat and fire. Do not disassemble or reconstruct the battery; or solder the battery directly. Do not give a mechanical shock or deform. Do not use unauthorized charger or other charging method. Terminate charging when the charging process does not end within specified time. Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS. Avoid physical damage to containers.
Other information	 Store at room temperature - approx. 20 deg C. Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS. Keep dry. Store under cover. Protect containers against physical damage. Observe manufacturer's storage and handling recommendations contained within this SDS. Keep out of reach of children. Store out of direct sunlight Store away from incompatible materials.

Conditions for safe storage, including any incompatibilities

Suitable container	Store in original containers.		
Storage incompatibility	Avoid strong acids, acid chlorides, acid anhydrides and chloroformates.		

SECTION 8 Exposure controls / personal protection

Control parameters

INGREDIENT DATA

Occupational Exposure Limits (OEL)

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	lithium manganate	Manganese, dust & compounds (as Mn)	1 mg/m3	Not Available	Not Available	Not Available
Australia Exposure Standards	cobalt lithium manganese nickelate	Manganese, dust & compounds (as Mn)	1 mg/m3	Not Available	Not Available	Not Available
Australia Exposure Standards	aluminium	Aluminium, pyro powders (as Al)	5 mg/m3	Not Available	Not Available	Not Available
Australia Exposure Standards	aluminium	Aluminium (metal dust)	10 mg/m3	Not Available	Not Available	Not Available
Australia Exposure Standards	aluminium	Aluminium (welding fumes) (as Al)	5 mg/m3	Not Available	Not Available	Not Available
Australia Exposure Standards	graphite, natural	Graphite (all forms except fibres) (respirable dust) (natural & synthetic)	3 mg/m3	Not Available	Not Available	(e) Containing no asbestos and < 1% crystalline silica.
Australia Exposure Standards	copper	Copper (fume)	0.2 mg/m3	Not Available	Not Available	Not Available
Australia Exposure Standards	copper	Copper, dusts & mists (as Cu)	1 mg/m3	Not Available	Not Available	Not Available

Ingredient	TEEL-1 TEEL-2			TEEL-3	
iron	3.2 mg/m3	35 mg/m3		150 mg/m3	
graphite, natural	6 mg/m3	330 mg/m3		2,000 mg/m3	
carbon, non-activated	6 mg/m3	330 mg/m3		2,000 mg/m3	
copper	3 mg/m3	33 mg/m3		200 mg/m3	
Ingredient	Original IDLH		Rev	rised IDLH	
lithium cobaltate	Not Available	Not Available		Not Available	
lithium manganate	500 mg/m3		Not	Not Available	
cobalt lithium manganese nickelate	500 mg/m3 / 10 mg/m3		Not	Available	
iron	Not Available	Not Available		Available	
aluminium	Not Available	Not Available		Available	
graphite, natural	1,250 mg/m3	1,250 mg/m3		Available	
carbon, non-activated	Not Available	Not Available		Available	
copper	100 mg/m3		Not	Available	

Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
lithium cobaltate	E	≤ 0.01 mg/m³
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.	

MATERIAL DATA

None assigned. Refer to individual constituents.

Exposure controls

Appropriate engineering controls	General exhaust is adequate under normal operating conditions.
Individual protection measures, such as personal protective equipment	
Eye and face protection	None under normal operating conditions. OTHERWISE: ► Safety glasses.
Skin protection	See Hand protection below
Hands/feet protection	None under normal operating conditions. OTHERWISE: ▶ Rubber Gloves
Body protection	See Other protection below
Other protection	No special equipment needed when handling small quantities

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance Metallic or black coloured ; cylindrical/ prismatic/ prismatic (laminated) solid with no odour; insoluble in water.

Physical state	Manufactured	Relative density (Water = 1)	Not Applicable
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Applicable	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Applicable	Viscosity (cSt)	Not Applicable
Initial boiling point and boiling range (°C)	Not Applicable	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Applicable	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Applicable
Vapour pressure (kPa)	Not Applicable	Gas group	Not Available
Solubility in water	Immiscible	pH as a solution (1%)	Not Applicable
Vapour density (Air = 1)	Not Applicable	VOC g/L	Not Applicable

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	May form hydrofluoric acid if electrolyte comes into contact with water. Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Inhaled	Vapors or fumes may cause respiratory tract irritation.	
Innaied	Not normally a hazard due to physical form of product.	
Ingestion	Not normally a hazard due to physical form of product. Accidental ingestion of the material may be damaging to	the health of the individual.
Skin Contact	The electrolyte may cause skin irritation. Not normally a hazard due to physical form of product.	
Eye	The electrolyte may cause eye irritation and damage. Not normally a hazard due to physical form of product.	
Chronic	The chemicals in this product are contained in a sealed	case and exposure does not occur during normal handling and use.
	ΤΟΧΙΟΙΤΥ	IRRITATION
aslode - STOCKade Lithium Ion Battery Cell	Oral (Rat) LD50: >2000 mg/kg ^[2]	Not Available
	ΤΟΧΙΟΙΤΥ	IRRITATION
	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye: no adverse effect observed (not irritating) ^[1]
lithium cobaltate	Inhalation (Rat) LC50: 5.05 mg/l4h ^[1]	Skin: no adverse effect observed (not irritating) ^[1]
	Oral (Rat) LD50: >5000 mg/kg ^[1]	
	ΤΟΧΙΟΙΤΥ	IRRITATION
lithium manganate	Not Available	Not Available
	ΤΟΧΙΟΙΤΥ	IRRITATION
cobalt lithium manganese nickelate	dermal (rat) LD50: >2000 mg/kg ^[1]	Not Available
nickelate	Oral (Rat) LD50: >2000 mg/kg ^[1]	
	ΤΟΧΙΟΙΤΥ	IRRITATION
iron	Oral (Rat) LD50: 98600 mg/kg ^[2]	Eye: no adverse effect observed (not irritating) ^[1]
		Skin: no adverse effect observed (not irritating) ^[1]
	ΤΟΧΙΟΙΤΥ	IRRITATION
aluminium	Inhalation (Rat) LC50: >2.3 mg/l4h ^[1]	Eye: no adverse effect observed (not irritating) ^[1]
	Oral (Rat) LD50: >2000 mg/kg ^[1]	Skin: no adverse effect observed (not irritating) $\left[1 \right]$
	ΤΟΧΙΟΙΤΥ	IRRITATION
	Inhalation (Rat) LC50: >2 mg/L4h ^[1]	Eye (rabbit): non-irritant *
	Oral (Rat) LD50: >200 mg/kg ^[1]	Eye : Not irritating
graphite, natural		Eye: no adverse effect observed (not irritating) ^[1]
		Skin (rabbit): 4 h non-irritant *
		Skin : Not irritating
		Skin: no adverse effect observed (not irritating) ^[1]
	ΤΟΧΙCΙΤΥ	IRRITATION
carbon, non-activated	Oral (Rat) LD50: >2000 mg/kg ^[1]	Eye: no adverse effect observed (not irritating) ^[1]
		Skin: no adverse effect observed (not irritating) $^{\left[1 \right]}$
	ΤΟΧΙCΙΤΥ	IRRITATION
copper	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye: no adverse effect observed (not irritating) ^[1]
copper	Inhalation (Rat) LC50: 0.733 mg/l4h ^[1]	Skin: no adverse effect observed (not irritating) ^[1]
	Oral (Mouse) LD50; 0.7 mg/kg ^[2]	

CAREGING INCOMENT An experiment of the second by the second by second a second in the reaction at the number of the second provided by the second at the second provided by the second pro	Legend:	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances
In the alarges with spectra antibolics of the splice issue and boong in the reaction table to the antibolities of the service is account prevides out and the spectra is account of the spect		
Ashtma-like symptoms may continue for months or veny years after appoace to the material media of the provide a investigation of the provide and the provide in the provide a investigation of the provide and the provide in the provide a investigation of the provide and the prove and the provide and the provide and the provide and the provid	LITHIUM COBALTATE	 the allergen with specific antibodies of the IgE class and belong in their reaction rates to the manifestation of the immediate type. In addition to the allergen-specific potential for causing respiratory sensitisation, the amount of the allergen, the exposure period and the genetically determined disposition of the exposed person are likely to be decisive. Factors which increase the sensitivity of the mucosa may play a role in predisposing a person to allergy. They may be genetically determined or acquired, for example, during infections or exposure to irritant substances. Immunologically the low molecular weight substances become complete allergens in the organism either by binding to peptides or proteins (haptens) or after metabolism (prohaptens). Particular attention is drawn to so-called atopic diathesis which is characterised by an increased susceptibility to allergic rhinitis, allergic bronchial asthma and atopic eczema (neurodermatitis) which is associated with increased IgE synthesis. Exogenous allergic alveolitis is induced essentially by allergen specific immune-complexes of the IgG type; cell-mediated reactions (T lymphocytes) may be involved. Such allergy is of the delayed type with onset up to four hours following exposure. Goitrogenic:. Goitrogens are substances that suppress the function of the thyroid gland by interfering with iodine uptake, which can, as a result, cause an enlargement of the thyroid, i.e., a goitre Vitexin, a flavanoid, which inhibits thyroid peroxidase thus contributing to goiter. Vitexin, a flavanoid, which inhibits thyroid peroxidase thus contributing to goiter. Vitexin, a flavanoid, which hen stimulates the gland. Lithium which inhibits thyroid hormone release. Certain foods, such as soy and millet (containing vitexins) and vegetables in the genus Brassica (e.g. broccoli, brussels sprouts, cabbage, horseradish).
COPFER WMRNING: Inhalation of high concentrations of topper fume may cause "metal fume fever", an acute industrial disease of short duration. Symptoms are interdents, influenzial interstinging typical interaction with fever. Tor copper and its compounds (typically copper chioride): Acute toxicity: There are no reliable acute oral toxicity results available. In an acute dermal toxicity study (OECD TG 402), one group of 5 male rate and 5 groups of 5 female rate received does of 1000, 1500 and 2000 mg/kg bw via dermal application of 2.4 hours. The LD50 values of copper monochioride were 2.000 mg/kg bw or greater for male in a datas cobserved) and 1.220 mg/kg bw for female. Four females died at both 1500 and 2000 mg/kg bw, and one at 1.000 mg/kg bw. Symptom of the marches 3.5km inflammation and injury were also noted. In addition, a reddati or black urine was observed in females at 2.000, 1.500 and 1.000 mg/kg bw. Female rats as potential to mate and edid herbalaky performad according to OECD TG 422, opper monochioride was given orally (gravage) to Sprague-Davier rate studies were available. The acute dermal study with copper monochioride was given orally (gravage) to Sprague-Davier rate studies were available. The acute dermal study with copper monochioride was given orally (gravage) to Sprague-Davier rate and 1.3 mg/kg bw/kg by performed according to OECD TG 422, opper monochioride was given orally (gravage) to Sprague-Davier rate and 1.3 mg/kg bw/kg by performed according to OECD TG 422, opper monochioride was given enails. One treatment-telated death was observed in female rate in the high does group. Erythepaties at the the forestomach was increased in a does-depated to male rate at all treatment groups, and was statistically significant in males and demale rate, and the male rate and the male rate in all resting the by regrease content to the forestomach which neutiton could the male rate athis all restintent groups, and was statistically significant in m	GRAPHITE, NATURAL	Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. On the other hand, industrial bronchitts is a disorder that occurs as a result of exposure due to high concentrations of irritating substance (often particles) and is completely
Symptoms are liveleness, influenza like respiratory tract intaiton with fever. for coper and its compounds (typically coper ficitod): Acute toxicity: There are no reliable acute oral toxicity results available. In an acute dermal application for 24 hours, The LD50 values of copper monocholind were 2.000 mg/kg bw or greater for male (no deaths of and, and acute dermal application for 24 hours, The LD50 values of copper monocholind by bw, and one at 1.000 mg/kg bw. and acute 1.000 mg/kg bw. and	CARBON, NON-ACTIVATED	Substance has been investigated as a reproductive effector.
Ion Battery Cell & LITHIUM COBALTATE & LITHIUM MANGANATE & COBALT LITHIUM MANGANESE NICKELATE & ALUMINIUMNo significant acute toxicological data identified in literature search.LITHIUM MANGANESE NICKELATE & ALUMINIUMThe following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions. The significance of the contact allergen is not simply determined by its sensitisation potential: the distribution of the substance and the opportunities for contact with it are equally important. A weakly sensitising substance which is widely distributed can be a more important allergen than one with stronger sensitising potential with which few individuals come into contact. From a clinical point of view, substances are noteworthy if they produce an allergic test reaction in more than 1% of the persons tested.		Symptoms are tiredness, influenza like respiratory tract irritation with fever. for copper and its compounds (typically copper chloride): Acute toxicity: There are no reliable acute oral toxicity results available. In an acute dermal toxicity study (OECD TG 402), one group of 5 male rats and 5 groups of 5 female rats received doses of 1000, 1500 and 2000 mg/kg bw via dermal application for 24 hours. The LD50 values of copper monochloride were 2,000 mg/kg bw or greater for male (no deaths observed) and 1,224 mg/kg bw for female. Four females died at both 1500 and 2000 mg/kg bw, and one at 1,000 mg/kg bw. Symptom of the hardness of skin, an exuation of hardness site, the formation of scar and reddish changes were observed in application sites in all treated animals. Skin inflammation and injury were also noted. In addition, a reddish or black urine was observed in females at 2,000, 1,500 and 1,000 mg/kg bw. Female rats appeared to be more sensitive than male based on mortality and clinical signs. No reliable skin/eye irritation studies were available. The acute dermal study with copper monochloride suggests that it has a potential to cause skin irritation. Repeat dose toxicity : In repeated dose toxicity study performed according to OECD TG 422, copper monochloride was given orally (gavage) to Sprague-Dawley rats for 30 days to males and for 39 - 51 days to females at concentrations of 0, 1, 3, 50, 20, and 80 mg/kg bw/day. The NOAEL value was 5 and 1.3 mg/kg bw/day for male and female rats, respectively. No deatts were observed in male rats. One treatment-related death was observed in female rats in the high dose group. Erythropolicit toxicity (anaemia) was seen in both sexes at the 80 mg/kg bw/day. The NOAEL value was 5 and 1.3 mg/kg bw/day for male and female rats, respectively. No deatts were observed in male and female rats at all treatment groups, and was statistically significant in males at doses of =20 mg/kg bw/day and in females at doses of =5 mg/kg bw/day. The NOAEL value was 7. A 100, TA 1535, and TA
LITHIUM COBALTATE & COBALT LITHIUM MANGANESE NICKELATE & COPPER	Ion Battery Cell & LITHIUM COBALTATE & LITHIUM MANGANATE & COBALT LITHIUM MANGANESE	No significant acute toxicological data identified in literature search.
Acute Toxicity X Carcinogenicity X	COBALT LITHIUM MANGANESE NICKELATE &	Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions. The significance of the contact allergen is not simply determined by its sensitisation potential: the distribution of the substance and the opportunities for contact with it are equally important. A weakly sensitising substance which is widely distributed can be a more important allergen than one with stronger sensitising potential with which few individuals come into contact. From a clinical point of view, substances are noteworthy if they produce an allergic test reaction in more than 1% of the persons
	Acute Toxicity	X Carcinogenicity X

Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×
		Legend: X − Data either not available or does not fill the criteria for classification ✓ − Data available to make classification	

SECTION 12 Ecological information

Toxicity

aslode - STOCKade Lithium	Endpoint	Test Duration (hr)	Species	Value	Source
Ion Battery Cell	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	72h	Algae or other aquatic plants	0.029mg/L	2
	EC50	48h	Crustacea	Crustacea 0.241mg/L	
lithium cobaltate	LC50	96h	Fish	0.8mg/l	2
	EC10(ECx)	168h	Crustacea	0.001mg/L	2
	EC50	96h	Algae or other aquatic plants	23.8mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Source
lithium manganate	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
cobalt lithium manganese	EC50	72h	Algae or other aquatic plants	>1mg/l	2
nickelate	NOEC(ECx)	672h	Fish	>0.1<=1mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	72h	Algae or other aquatic plants	18mg/l	2
iron	EC50	48h	Crustacea	>100mg/l	2
	LC50	96h	Fish	Fish 0.005- 0.008mg/L	
	NOEC(ECx)	48h	Algae or other aquatic plants	Algae or other aquatic plants 0.1-4mg/l	
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	72h	Algae or other aquatic plants	0.017mg/L	2
	EC50	48h	Crustacea	0.736mg/L	2
aluminium	LC50	96h	Fish	0.078- 0.108mg/l	2
	EC50	96h	Algae or other aquatic plants	0.005mg/L	2
	NOEC(ECx)	72h	Algae or other aquatic plants	Algae or other aquatic plants >100mg/l	
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	72h	Algae or other aquatic plants	>100mg/l	2
graphite, natural	EC50	48h	Crustacea	>100mg/l	2
	LC50	96h	Fish	>100mg/l	2
	NOEC(ECx)	96h	Fish	>=100mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Source
carbon, non-activated	EC50	48h	Crustacea	>10mg/l	2
	EC50(ECx)	48h	Crustacea	>10mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	72h	Algae or other aquatic plants	0.011- 0.017mg/L	4
000555	EC50	48h	Crustacea	<0.001mg/L	4
copper	LC50	96h	Fish	0.003mg/L	2
	EC50	96h	Algae or other aquatic plants	0.03- 0.058mg/l	4
	NOEC(ECx)	48h	Fish	<0.001mg/L	4
Legend:	Ecotox databa		CHA Registered Substances - Ecotoxicological Inforr C Aquatic Hazard Assessment Data 6. NITE (Japan)		

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients
Bioaccumulative potential		
Ingredient	Bioaccumulation	
	No Data available for all ingredients	
Mobility in soil		
Ingredient	Mobility	
	No Data available for all ingredients	

SECTION 13 Disposal considerations

Waste treatment methods		
Product / Packaging disposal	 Recycle wherever possible or consult manufacturer for recycling options. Consult State Land Waste Management Authority for disposal. Bury residue in an authorised landfill. Recycle containers if possible, or dispose of in an authorised landfill. 	

SECTION 14 Transport information

Labels Required

Marine Pollutant	NO
HAZCHEM	2Y

Land transport (ADG)

,		
14.1. UN number or ID number	3481	
14.2. UN proper shipping name	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT or LITHIUM ION BATTERIES PACKED WITH EQUIPMENT (including lithium ion polymer batteries) (contains lithium manganate and lithium cobaltate)	
14.3. Transport hazard class(es)	Class Subsidiary Hazard	9 Not Applicable
14.4. Packing group	Not Applicable	
14.5. Environmental hazard	Not Applicable	
14.6. Special precautions for user	Special provisions Limited quantity	188 230 310 348 360 376 377 384 387 390 0

Air transport (ICAO-IATA / DGR)

• •				
14.1. UN number	3481			
14.2. UN proper shipping name	Lithium ion batteries contained in equipment (including lithium ion polymer batteries) (contains lithium manganate and lithium cobaltate)			
	ICAO/IATA Class	9		
14.3. Transport hazard class(es)	ICAO / IATA Subsidiary Hazard	Not Applicable		
class(es)	ERG Code 12FZ			
14.4. Packing group	Not Applicable			
14.5. Environmental hazard	Not Applicable			
14.6. Special precautions for user	Special provisions		A48 A88 A99 A154 A164 A181 A185 A213 A220	
	Cargo Only Packing Instructions		967	
	Cargo Only Maximum Qty / Pack		35 kg	
	Passenger and Cargo Packing Instructions		967	
	Passenger and Cargo Maximum Qty / Pack		5 kg	
	Passenger and Cargo Limited Quantity Packing Instructions		Forbidden	
	Passenger and Cargo Limited Maximum Qty / Pack		Forbidden	

Sea transport (IMDG-Code / GGVSee)

14.1. UN number	3481

14.2. UN proper shipping name	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT (including lithium ion polymer batteries) (contains lithium manganate and lithium cobaltate)		
14.3. Transport hazard class(es)	IMDG Class IMDG Subsidiary Ha	9 zard Not Applicable	
14.4. Packing group	Not Applicable		
14.5 Environmental hazard	Not Applicable		
14.6. Special precautions for user	EMS Number Special provisions	F-A , S-I 188 230 310 348 360 376 377 384 387 390	
4001	Limited Quantities	0	

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
lithium cobaltate	Not Available
lithium manganate	Not Available
cobalt lithium manganese nickelate	Not Available
iron	Not Available
aluminium	Not Available
graphite, natural	Not Available
carbon, non-activated	Not Available
copper	Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
lithium cobaltate	Not Available
lithium manganate	Not Available
cobalt lithium manganese nickelate	Not Available
iron	Not Available
aluminium	Not Available
graphite, natural	Not Available
carbon, non-activated	Not Available
copper	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture lithium cobaltate is found on the following regulatory lists Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australian Inventory of Industrial Chemicals (AIIC) Chemical Footprint Project - Chemicals of High Concern List International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS) lithium manganate is found on the following regulatory lists International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS) cobalt lithium manganese nickelate is found on the following regulatory lists Chemical Footprint Project - Chemicals of High Concern List International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 1: Carcinogenic to humans International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS) iron is found on the following regulatory lists Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 2 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 4 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6 Australian Inventory of Industrial Chemicals (AIIC) International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS) aluminium is found on the following regulatory lists Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australian Inventory of Industrial Chemicals (AIIC) International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

graphite, natural is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

carbon, non-activated is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

copper is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 4 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6 Australia Inventory of Industrial Chemicals (AIIC)

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

Additional Regulatory Information

Not Applicable

National Inventory Status

National Inventory	Status
Australia - AIIC / Australia Non- Industrial Use	No (lithium manganate; cobalt lithium manganese nickelate)
Canada - DSL	No (lithium manganate)
Canada - NDSL	No (lithium cobaltate; lithium manganate; cobalt lithium manganese nickelate; iron; aluminium; graphite, natural; carbon, non-activated; copper)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	No (lithium manganate)
Japan - ENCS	No (lithium manganate; iron; aluminium; graphite, natural; carbon, non-activated; copper)
Korea - KECI	No (cobalt lithium manganese nickelate)
New Zealand - NZIoC	No (cobalt lithium manganese nickelate)
Philippines - PICCS	No (lithium cobaltate; lithium manganate; cobalt lithium manganese nickelate)
USA - TSCA	Yes
Taiwan - TCSI	Yes
Mexico - INSQ	No (lithium cobaltate; lithium manganate; cobalt lithium manganese nickelate)
Vietnam - NCI	Yes
Russia - FBEPH	No (lithium cobaltate; lithium manganate; cobalt lithium manganese nickelate)
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

SECTION 16 Other information

Revision Date	07/08/2024
Initial Date	18/01/2012

SDS Version Summary

Version	Date of Update	Sections Updated
6.1	05/02/2024	Hazards identification - Classification, Identification of the substance / mixture and of the company / undertaking - Supplier Information, Identification of the substance / mixture and of the company / undertaking - Synonyms, Transport Information
7.1	07/02/2024	Hazards identification - Classification, Identification of the substance / mixture and of the company / undertaking - Supplier Information

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
- PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit.
- IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
 LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level

- PNEC: Predicted no-effect concentration
- AlIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
 EINECS: European INventory of Existing Commercial chemical Substances
 ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
 NZIoC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
 FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.